

64. Create Authentication that ensures that required fields in the Add Edit Callout are completed and the Save button can't be clicked otherwise.

1. Open set.dg5
 1. Right click on main - headers- buttonBar - edit - callout, select Edit Symbol
 1. Click on addEditCallout - buttons - save -dataflow
 1. Drag and Drop Logic - If block
 2. Drag and Drop String Operations - Length block
 3. If1
 1. Input 0: Bind from length - output
 2. Input 1: 0
 3. Then: True
 4. Else: False
 4. Select If1 and length
 1. Right click, select Convert to Symbol
 1. Name: "nullCheck"
 2. Click Ok
 5. Delete nullCheck
 6. Click on Dataflow Symbols tab
 7. Right click on nullCheck, select Copy
 8. Change from Current Page to Current Project
 9. Right click on Dataflow Symbols panel, select Paste
 10. Change from Current Project to Current Page
 11. Right click on nullCheck, select Delete
 12. Change from Current Page to Current Project
 13. Drag and Drop nullCheck from Current Project, Dataflow Symbols, to dataflow
 14. Right click on nullCheck, select Edit Symbol
 1. Right click on dataflow, select Edit Properties
 1. Drag and Drop string
 1. Name: "input"
 2. Bind to length - input
 2. Drag and Drop string
 1. Name: "output"
 2. Bind from if1 - output
 15. Save Symbol
 16. Click on nullCheck
 1. Right click on input, select Pinned
 2. Right click on output, select Pinned
 17. Duplicate nullCheck with (Cntrl + D) 4 times
 18. Drag and Drop Logic - If block
 1. Name: "auth"

2. Op: and
 3. Click + button 4 times
 4. Input 5: true
 5. Then: true
 6. Else: False
19. nullCheck
 1. Rename: "name"
 2. Input 1: Bind from AddEditCallout - row1 - name - Symbol Properties - output
 3. Output: Bind to If1 - input 0
 20. nullCheck1
 1. Rename: "severity"
 2. Input 1: Bind from AddEditCallout - row1 - severity - Symbol Properties - output
 3. Output: Bind to If1 - input 1
 21. nullCheck2
 1. Rename: "metric"
 2. Input 1: Bind from AddEditCallout - row2 - metric - Symbol Properties - output
 3. Output: Bind to If1 - input 2
 22. nullCheck3
 1. Rename: "operation"
 2. Input 1: Bind from AddEditCallout - row2 - operation - Symbol Properties - output
 3. Output: Bind to If1 - input 3
 23. nullCheck4
 1. Rename: "value"
 2. Input 1: Bind from AddEditCallout - row2 - value - Symbol Properties - output
 3. Output: Bind to If1 - input 4
 24. Drag and Drop Logic - If block
 1. Input 0: Bind from auth - output
 2. Input 1: true
 3. Then: 100
 4. Else: 60
 5. Output: Bind to addEditCallout - buttons - save - Effects Properties - Opacity
 25. auth
 1. Output: Bind to addEditCallout - buttons - save - General Properties - Clickable
 26. Select If1, Duplicate with (Ctrl + D)
 1. Input 1: false
 2. Then: "default"
 3. Else: "pointer"
 4. Output: Bind to addEditCallout - buttons - save - General Properties -Cursor

2. Save symbol

2. Save page

From:
<https://wiki.dglogik.com/> - **DGLogik**

Permanent link:
<https://wiki.dglogik.com/dglearning:level3:64?rev=1556322679>

Last update: **2021/09/20 14:40**

