

# Geo-Location

Block Group:	<a href="#">Browser API</a>
Icon:	

Retrieves the user's latitude and longitude.

For information on using dataflow blocks, see [Dataflow](#).

---

## Input/Output Properties

These properties can take input and give output.

- **enabled** (*boolean*)

**enabled** specifies whether the block is currently collecting location data.

---

## Output Properties

These properties can give output. They cannot take input.

- **latitude** (*number*)
- **longitude** (*number*)

**latitude** returns the latitude of the user.

**longitude** returns the longitude of the user.

---

## Model

This is a basic use of the block.

Dataflow Model	Description
<p>geoLocation</p> <p>enabled: true</p> <p>latitude: 37.78331030000...</p> <p>longitude: -122.24136840...</p>	<p>The Geo-Location block's properties are bound to the Google Map component's properties, so the map will open with the user's location at its center.</p>

Previous: JSONP Loader

Next: Device Orientation

From:  
<https://wiki.dglogik.com/> - **DGLogik**

Permanent link:  
[https://wiki.dglogik.com/dglux5\\_wiki:dataflow:dataflow\\_blocks\\_reference:browser\\_api:geo-location](https://wiki.dglogik.com/dglux5_wiki:dataflow:dataflow_blocks_reference:browser_api:geo-location)

Last update: **2021/09/20 15:02**

