

Data Services

Data Services blocks.

Block	Icon	Description
List Node		Returns metadata about a node and its children
Get Default Parameters		Returns the default parameters and parameter values associated with a data action.
String Loader		Accesses a URL, and either returns the string located in that file or performs other actions based on HTTP request methods
String Uploader		Saves a string as a new file in this project
List Files		Returns a table that lists the contents of a project directory
Get Children		Returns a table that lists the children of a data node
Get Node		Returns metadata about a data node
Project Info		Returns information about the current user's session and the current project
Relativize		Converts a full file path to a relative file path, and manages changes to the non-relativized part of the path
Multi-Histories		Retrieves a table of information about the value histories of multiple data nodes
Zip Upload		Adds, into the specified folder, all of the files from a ZIP file that is specified as binary
Zip Download		Returns, as binary, a ZIP file that combines the files at the specified paths
Zip Parser		Takes a ZIP file as input and returns a table that contains the ZIP file's contents.
Load Value	no icon	Retrieves information about the value of a data node
Load History	no icon	Retrieves information about the value history of a data node

2018/10/03 00:17

Previous: [Table](#)

Next: [List Node](#)

From:
<https://wiki.dglogik.com/> - **DGLogik**



Permanent link:
https://wiki.dglogik.com/dglux5_wiki:dataflow:dataflow_blocks_reference:data_services:home

Last update: **2021/09/20 15:03**