


# Drag Size

Block Group:	Logic
Icon:	

Allows the user to resize an object by dragging that object or one of its children.

For information on using dataflow blocks, see [Dataflow](#).

---

## Input/Output Properties

These properties can take input and give output.

- `dragStart` (*trigger*)
- `dragEnd` (*trigger*)
- `percents` (*boolean*)
- `minWidth` (*number*)
- `minHeight` (*number*)
- `maxWidth` (*number*)
- `maxHeight` (*number*)
- `dragMode` (*string*)

**dragStart** specifies the mouse event that starts moving the object. Typically, this is the `onMouseDown` event for the child. In that case, find the event in the child's [Advanced properties](#), and bind it to this property.

**dragEnd** specifies the event that stops moving the object. Typically, this is `onMouseUpGlobal`.

**percents** determines whether the **minWidth**, **minHeight**, **maxWidth**, and **maxHeight** properties are pixel values or percent values.

- **TRUE**: The width values are a percentage of the width of the parent of the element being resized. The height values are a percentage of the height of the parent of the element being resized.
- **FALSE**: The values are in pixels.

**minWidth** specifies the smallest width that the element can be resized to, as a pixel value or a percentage of its parent's width.

**minHeight** specifies the smallest height that the element can be resized to, as a pixel value or a percentage of its parent's height.

**maxWidth** specifies the largest width that the element can be resized to, as a pixel value or a percentage of its parent's width.

**maxHeight** specifies the largest height that the element can be resized to, as a pixel value or a

percentage of its parent's height.

**dragMode** specifies restrictions on the direction of resizing.

- **maxWidth**: Resizing is not restricted.
  - **maxHeight**: The user can resize the object vertically by dragging, but not horizontally.
  - **dragMode**: The user can resize the object horizontally by dragging, but not vertically.
- 

## Output Properties

These properties can give output. They cannot take input.

- `isResizing` (*boolean*)

**isResizing** returns TRUE if the `dragStart` event for this block has occurred and the `dragEnd` event has not occurred yet.


---

## Remarks

- Using `onMouseUpGlobal` ensures that the resize works correctly, even if the parent's size is restricted and the cursor leaves the parent bounds. Using `onMouseUp` can cause problems in this situation.
  - To change to a resize cursor when the user mouses over the object, select the object, and in the [Property Inspector](#), for the [Cursor property](#), choose the resize cursor.
- 

## Model

This is a basic use of the block.

Dataflow Model	Description
	<p>When the user drags the shape, the group will resize. The maximum height of the group is 100 pixels. Even if the cursor is outside the shape when the button is released, the drag will finish successfully.</p>

## Use Cases

### [Drag Size example video](#)

Typically, a small child image in the lower right-hand corner of a [group](#) is used to resize the entire group. To create this effect:

1. Open [dataflow](#) for the group, and add a Drag Size block.
2. Select the child in the [Outline](#).
3. Bind the child's [onMouseDown Advanced property](#) to the block's **dragStart** property.
4. Bind the child's [onMouseUpGlobal Advanced property](#) to the block's **dragEnd** property.



### Tip

Make sure the Drag Size block belongs to the group, not the child. If it belongs to the child, delete the block and start again.

This thread in the DGLogik Community Forum shows a use case for the block:

- [Drag Position and Drag Size](#)

[Previous: Drag Position](#)

[Next: Repeater](#)

From:  
<https://wiki.dglogik.com/> - **DGLogik**

Permanent link:  
[https://wiki.dglogik.com/dglux5\\_wiki:dataflow:dataflow\\_blocks\\_reference:logic:drag\\_size](https://wiki.dglogik.com/dglux5_wiki:dataflow:dataflow_blocks_reference:logic:drag_size)

Last update: **2021/09/20 15:03**

