

Access DSA Data

If you use DGLux5 with [DSA data](#), you access your data by first [installing DGLux5](#), then starting a link, and finally configuring your connection. The steps to configure a connection are different for each [DSLlink](#). To discuss DSLink questions, use these [community resources](#).

Add a new DSLink

You can add DSLinks when you install your DGLux5 package, or you can add them later. To add a link after installation:

1. Click the [Data panel](#) tab behind the [Project panel](#).
2. Expand **sys**, and right-click **links**.
3. Choose one of these installation methods:
 - **Install Link from Git** - Enter the download URL and the name that you want to appear in DGLux5, and click **Invoke**.
 - **Install Link from Zip** - Enter the download URL for the file and the name that you want to appear in DGLux5, and click **Invoke**.
 - **Install Link** - Select the link from the drop-down list, enter a name to appear in DGLux5, and click **Invoke**.

When the installation is successful, the value for **success** becomes TRUE.

Access DSLink Data

These steps show you how to access a Dart Weather DSLink, as an example.

1. Log in to DGLux5, Server edition.
2. Start the data connection:
 1. In the [Data panel](#), expand **sys > links**.
 2. Right-click `dslink-dart-weather`, and select **Start Link**.

If `dslink-dart-weather` does not appear, follow the steps to [add it](#).

3. Specify the data to track:
 1. In the Data panel, expand **downstream**.

2. Right-click **Weather**, select **Create Tracker**, enter the name of a city, and click **Invoke**.


The city appears as a tree node below **Weather**.

4. In the Data panel, click the name of the city.

Current weather data appears in the **Metrics panel**.

5. In the Metrics panel, find the relevant data point or metric.

You can drag the relevant point or metric to a **component** such as a **text component**. This opens the **binding dialog**. From this dialog, you can control the formatted or calculated value that appears in the component.



Using a DSA data metric

[Previous: Deploy a Project](#)

[Next: Access Other Data](#)

From:
<https://wiki.dglogik.com/> - **DGLogik**

Permanent link:
https://wiki.dglogik.com/dglux5_wiki:getting_started:access_dsa_data

Last update: **2021/09/20 14:43**

