


IFrame

The IFrame component allows you to embed web content in your page. This component has several uses.

For a detailed reference of properties that affect IFrames, see [Common Properties](#) and [IFrame Properties](#).



[dglux5_components_iframe_1.mp4](#)

An IFrame component in DGLux5

Embed Web Content

To create an IFrame component that embeds web content in your page:

1. In the [Outline](#) or [Document window](#), right-click and select **Insert** > **Components** > **IFrame**.
2. In the [Property Inspector](#), under **IFrame**, specify the URL.

Embed PDF

To embed a PDF file in your page:

1. [Upload](#) the PDF file to the project's assets folder.
2. Insert an IFrame component.
3. For the URL of the IFrame component, drag the PDF file from the [Project panel](#).

The PDF is embedded in the page.




Enable Page Changes with Button Control

You can create a button panel that lets the user determine which URL is loaded in an IFrame. There are several ways to do this. These steps show you how to achieve this effect using a [Case](#) dataflow block. Alternatively, you could create an [onClick action](#) for each button, as shown in [this video](#), or you could create a button [symbol](#) that holds the URL as one of its parameters.

To use a Case block for IFrame navigation:

1. Right-click the Stage in the [Outline](#) or [Document window](#), and select **Insert > Components > IFrame**.
2. Create the button panel:
 1. Right-click the Stage and select **Insert > Components > Group**.
 2. In the Property Inspector, set the **Layout** property of the group to Horizontal or Vertical.
3. Insert a [text component](#) within the group.

This is your first button. Optionally, style your button using [properties](#) and [actions](#).

4. When your button is styled, select it in the Outline and click  **Duplicate** until you have the correct number of buttons.
5. Change the text that appears in each button. Each button should refer to the page that it opens.
3. In the Outline, select the group.
4. In the Property Inspector, set **Selection** to  **Single Select**.
5. Right-click the IFrame, and select  **Dataflow**.
6. In the dataflow window, expand **Logic**, and add a Case block:
 1. Drag the Case block to the dataflow window.
 2. Inside the block, click the **+** plus sign until the number of **case n** properties matches the number of URLs you want.
 3. Set **op** to equals.
 4. Bind the **Selection Index** property of the group to the **input** property of the Case block.
 5. For each **case n** property, enter an index number in your group.

6. For each **then n** property, enter the URL.
 7. For **else**, enter a default path, or leave it null.
 8. Bind the **output** property of the case block to the **URL** property of the IFrame.
-

Implement Custom JavaScript

You can use the IFrame component to implement custom JavaScript in your page. For detailed instructions, see [Adding a Custom JavaScript Component](#).

Embed Video

One use of the IFrame component is to embed a video that is hosted on another website such as Vimeo or YouTube.

To upload and embed a video file, use the [Video](#) component.

To embed a video from the web:

1. Copy the URL for the video player.

To get a link, click on **Embed** (YouTube) or **Share** (Vimeo).

2. Right-click in the [Outline](#) or [Document window](#), and select **Insert > Components > IFrame**.
 3. Make sure the IFrame is selected, and in the Property Inspector, under **IFrame**, paste the URL.
-


IFrame Properties

These properties affect the IFrame component.

For a guide to using the IFrame component, see [IFrame](#).



IFrame components are also affected by [Common Properties](#).




The IFrame properties in the Property Inspector

Click to display/hide all elements

URL

Specifies the URL to be displayed within the IFrame.


This allows you to use third-party or your own standalone CSS, JavaScript, and HTML components in your DGLux5 application. Your custom components will behave as if they were native DGLux5 components.



The URL property

IFrame Scrolling

Specifies whether scrolling is enabled on the IFrame component. If scrolling is disabled, then content that overflows the component is clipped.



The IFrame Scrolling property

2019/07/17 19:17

[Previous: Map Group](#)

[Next: Page Include](#)

From:
<https://wiki.dglogik.com/> - **DGLogik**

Permanent link:
https://wiki.dglogik.com/dglux5_wiki:widgets_and_property_inspector:components:iframe:home?rev=1563391061

Last update: **2021/09/20 14:59**

