



Export and Import a DG5 File

To export a .dg5 file from one project and import it into another:

1. Open the [project](#) that contains the file.
2. Open the .dg5 file by double-clicking it in the [Project panel](#).



3. Select **File > Import > Import DG5**.



4. In the JSON panel that opens, click **Load**.

```

Panel
{
  "@type": "group", "Text": {"@type": "text", "cornerRadius": 0, "multiline": true, "fontSize": "22", "border": {"@type": "fill", "gradient": {"@type": "gradient", "@array": [{"ratio": 0, "color": "#000000", "alpha": 1}, {"ratio": 100, "color": "#ff0000", "alpha": 1}], "color": 16777215}, "borderWidth": 1, "text": "Text", "borderStyle": "solid", "color": 6710886, "editable": true, "vScroll": "on", "label": "Get View Property", "getViewProperty": {"@type": "getViewProperty", "lps": ["objectPath", "field", "invoke", "output"], "lx": 127, "ly": 27, "field": "offsetWidth", "lw": 160}, "lId": true, "left": 817, "top": 449, "width": 82, "height": 29, "loadHistories": {"@type": "loadHistories", "lps": ["invoke", "enabled", "interval", "autoRun", "timeout", "loading", "service", "paths", "timeRange", "dataInterval", "showStatus", "rollup", "missingValue", "header", "output"], "lx": 374, "ly": 261}, "getChildren": {"@type": "getChildren", "lps": ["path", "output", "error"], "lx": 74, "ly": 269}, "getNode": {"@type": "getNode", "lps": ["path", "name", "hasChildren", "hasValue", "hasHistory", "type", "icon", "unit", "enum", "actions", "error"], "lx": 210, "ly": 250}, "listNode": {"@type": "listNode", "lps": ["path", "mode", "resolveActions", "name", "profile", "children", "metadata", "actions", "error"], "lx": 74, "ly": 421, "resolveActions": false}}, "Text1": {"@type": "text", "cornerRadius": 0, "multiline": true, "fontSize": "22", "border": {"@type": "fill", "gradient": {"@type": "gradient", "@array": [{"ratio": 0, "color": "#000000", "alpha": 1}, {"ratio": 100, "color": "#ff0000", "alpha": 1}], "color": 16777215}, "borderWidth": 1, "text": "Text", "borderStyle": "solid", "color": 6710886, "editable": true, "vScroll": "on", "label": "Export HTML", "exportHtml": {"@type": "exportHtml", "lps": ["invoke", "enabled", "format", "filename", "output"], "lx": 112, "ly": 99, "format": "html", "filename": "download", "lw": 169}, "lId": true, "left": 817, "top": 449, "exportHtml1": {"@type": "exportHtml", "filename": "", "lps": ["invoke", "format", "filename", "output"], "lx": 108, "ly": 270, "format": "html", "lw": 219, "label": "exportHtml"}}, "Text2": {"@type": "text", "cornerRadius": 0, "multiline": true, "fontSize": "22", "border": {"@type": "fill", "gradient": {"@type": "gradient", "@array": [{"ratio": 0, "color": "#000000", "alpha": 1}, {"ratio": 100, "color": "#ff0000", "alpha": 1}], "color": 16777215}, "borderWidth": 1, "text": "Text", "borderStyle": "solid", "color": 6710886, "editable": true, "vScroll": "on", "label": "IFrame Message", "iframeMessage": {"@type": "iframeMessage", "key": "status", "match": "", "lps": ["invoke", "enabled", "interval", "autoRun", "timeout", "loading", "message", "key", "match", "origin", "output", "error"], "lx": 118, "ly": 207, "interval": 0, "timeOut": 60, "message": "\{ \"id\": \"ID\", \"value\": \"00001\", \"status\": \"Status\", \"value1\": \"11111\" \}", "lw": 336}, "lId": true, "left": 817, "top": 449}, "Text3": {"@type": "text", "cornerRadius": 0, "multiline": true, "fontSize": "22", "border": {"@type": "fill", "gradient": {"@type": "gradient", "@array": [{"ratio": 0, "color": "#000000", "alpha": 1}, {"ratio": 100, "color": "#ff0000", "alpha": 1}], "color": 16777215}, "borderWidth": 1, "text": "Weekly", "borderStyle": "solid", "color": 6710886, "editable": true, "vScroll": "on", "label": "Local Storage", "localStorage": {"@type": "localStorage", "lps": ["invoke", "cornerRadius", "multiline", "fontSize", "border", "gradient", "array", {"ratio": 0, "color": "#000000", "alpha": 1}, {"ratio": 100, "color": "#ff0000", "alpha": 1}], "color": 16777215}, "borderWidth": 1, "text": "Local Storage", "borderStyle": "solid", "color": 6710886, "editable": true, "vScroll": "on", "label": "LocalStorage", "localStorage": {"lps": ["localStorage", "value", "global", "value1", "value2"], "lx": 181, "ly": 192, "global": true, "value": "value1", "value1": "value1", "value2": "value2"}, "lId": true, "left": 817, "top": 449}}

```

The screenshot shows the JSON panel displaying a large JSON string. At the bottom of the panel, there is a 'Load' button.

5. Open the project that you want to import the file to.

6. [Save the file](#). When you are asked if you want to save the file even though the project has changed, click **OK**.

Previous: [Add Other Files](#)

Next: [Project Directories](#)

From:

<https://wiki.dglogik.com/> - **DGLogik**

Permanent link:

https://wiki.dglogik.com/dglux5_wiki:workspace_and_workflow:projects_and_files:import_dg5

Last update: **2021/09/20 14:51**

